


## ABSTRACT

The present invention relates to novel oxazolidinone derivatives represented as following compound I and a process for the preparation thereof. The compounds of the present invention have wide antibacterial spectrum, superior antibacterial activity and low toxicity. Therefore, it can be expected to use as novel antibacterial agent.

[compound I]



wherein,  $R_1$  is alkylcarboxyl group or  $-CH_2R_2$  (wherein,  $R_2$  is OH, argido group,  $-OR_3$  (wherein,  $R_3$  is  $C_{1-4}$  alkyl, methansulfonyl, p-toluensulfonyl, carboxyl,  $C_{1-4}$  alkylcarboxyl,  $C_{1-4}$  alkylcarbonyl, benzyloxycarbonyl, or imidazolylcarbonyl), or  $-NHR_4$ ).

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
14 August 2003 (14.08.2003)

PCT

(10) International Publication Number  
**WO 03/066648 A1**

(51) International Patent Classification<sup>7</sup>: **C07H 15/22**

Hun, Yeong [KR/KR]; #110-701 SK Bukhansancity Apt.,  
1353 Mia7-dong, Kangbuk-ku, 142-107 Seoul (KR).

(21) International Application Number: PCT/KR02/01268

(74) Agent: **LEE, Won-Hee**; 8th Fl., Sung-ji Heights II,  
642-16, Yoksam-dong, Kangnam-ku, 135-080 Seoul (KR).

(22) International Filing Date: 4 July 2002 (04.07.2002)

(25) Filing Language: English

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU,  
AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU,  
CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH,  
GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KZ, LC, LK,  
LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX,  
MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI,  
SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN,  
YU, ZA, ZM, ZW.

(26) Publication Language: English

(30) Priority Data:  
2002-7495 8 February 2002 (08.02.2002) KR

(71) Applicant (*for all designated States except US*): **KOREA  
INSTITUTE OF SCIENCE AND TECHNOLOGY**  
[KR/KR]; 39-1 Hawolkok-dong, Sungbuk-ku, 136-130  
Seoul (KR).

(84) Designated States (*regional*): ARIPO patent (GH, GM,  
KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW),  
Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM),  
European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE,  
ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SK,  
TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ,  
GW, ML, MR, NE, SN, TD, TG).

(72) Inventors; and


(75) Inventors/Applicants (*for US only*): **YU, Jaehoon**  
[KR/KR]; #102-1403 Kukdonggreen Apt., 436 Ok-  
soo-dong, Sungdong-ku, 133-759 Seoul (KR). **LEE,  
Jongkook** [KR/KR]; #4-806 JoongangHwakok-Heights  
Apt., 351-89 Hwakok7-dong, Kangseo-ku, 157-882 Seoul  
(KR). **KWON, Miyun** [KR/KR]; #102-105 Hyundai  
Apt., Jamwon-dong, Seocho-ku, 137-030 Seoul (KR).  
**PAE, Ae,Nim** [KR/KR]; #2-405 Jangmi Apt., 7 Shin-  
cheon-dong, Songpa-ku, 138-240 Seoul (KR). **KOH,**

Published:

— with international search report

For two-letter codes and other abbreviations, refer to the "Guid-  
ance Notes on Codes and Abbreviations" appearing at the begin-  
ning of each regular issue of the PCT Gazette.

(54) Title: HETERODIMERIC CONJUGATES OF NEOMYCIN-OXAZOLIDINONE, THEIR PREPARATION AND THEIR  
USE



(1)

(57) Abstract: The present invention relates to heterodimeric conjugates of neomycin-oxazolidinone of formula 1, their preparation and their use. Because of their heterodimeric structure, they can recognize both stems and loops of the RNA motif and show a strong binding force to certain RNAs. Accordingly, they can be effectively used as an antiviral agent or an antibacterial agent with enhanced pharmaceutical efficacy and reduced side effect. Formula (1) Wherein, Ac and n are as defined in the description.